FOR REPRODUCTION PURPOSES

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS REPORT DOCUMENTATION PAGE BEFORE COMPLETING FORM I. REPORT NUMBER 2. GOVT ACCESSION NO. 3. RECIPIENT'S CATALOG NUMBER ARO 18263.30-PH N/A TITLE (and Subtitle) S. TYPE OF REPORT & PERIOD COVERED Percolation and Low Density Materials: Theory 1 Oct 81 - 30 Sep 85 and Applications Final Report 6. PERFORMING ORG. REPORT NUMBER **AD-A169** AUTHOR(e) 8. CONTRACT OR GRANT NUMBER(#) S. Redner H. E. Stanley W. Klein DAAG29-82-K-0003 PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS PERFORMING ORGANIZATION NAME AND ADDRESS Boston University Boston, MA 02215-1303 CONTROLLING OFFICE NAME AND ADDRESS 12. REPORT DATE U. S. Army Research Office 13. NUMBER OF PAGES Post Office Box 12211 21 Research Triangle Park, NC 27709
MONITORING AGENCY NAME & ADDRESS/If different from Controlling Office) 15. SECURITY CLASS. (of this report) Unclassified 154, DECLASSIFICATION/DOWNGRADING SCHEDULE 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, if different from Report) NA The view, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation 19. KEY WOROS (Continue on reverse side if necessary and identify by block number) Continuum Percolation Real Systems Random Materials Linear Polymers Random Systems Polymers 20. ABSTRACT (Continue on reverse side if necessary and identity by block number) A principal component of the contract has been the development of the renormalization group, with specific emphasis on applications to percolation and random materials. The main accomplishment is summarized in a series of several papers. One of these was identified by the Science Citation Index as being among the 100 most-cited physics papers during 1980-1981. This paper dealt with the problem of how the Wilson renormalization

DD , FORM 1473 EDITION OF I NOV 65 IS OBSOLETE

, C

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Date Entered)

20. ABSTRACT CONTINUED

group could be applied to random systems in a fashion that yielded specific numbers that could be compared with real systems. The approach developed rests on the essential idea of percolation, that elements must connect across a macroscopic distance.

This approach was extended to continuum percolation shortly thereafter, confirming that results first obtained for lattice systems also I old when there is no lattice.

Other random systems, like linear and branched polymers, were found to be made tractable by the suitable modifications of our original approach. Fragmond $: C_{x,y} = (1 + 1)^{-1}$

Nucleation: No tastalic staticsx

FINAL TECHNICAL REPORT

U.S. ARMY RESEARCH OFFICE

*FERCOLATION AND LOW DENSITY MATERIALS: THEORY AND APPLICATIONS

W. Klein S. Redner H. E. Stanley

Center for Polymer Studies
Boston University, Boston, MA 02215

ABSTRACT

We have focussed attention on the many applications of percolation to low density materials of practical concern. To make progress, we have developed new concepts—such as directed percolation—and new mathematical analysis techniques—such as renormalization group. Two articles were among the 100 most-cited articles of the year.

Part I: Renormalisation Group

A principal component of the ARO contract has been the development of the renormalization group, with specific emphasis on applications to percolation and random materials. Our main accomplishment is summarized in a series of several papers. One of these was identified by the Science Citation Index as being among the 100 most-cited physics papers during 1980-1981. This paper dealt with the problem of how the Wilson renormalization group could be applied to random systems in a fashion that yielded specific numbers that could be compared with real systems. The approach developed rests on the essential idea of percolation, that elements must connect across a macroscopic distance.

This approach was extended to continuum percolation shortly thereafter,² confirming that results first obtained for lattice systems also hold when there is no lattice.

Other random systems, like linear and branched polymers, were found to be made tractable by the suitable modifications of our original approach.³ Eventually the researchers involved in this project were invited to summarize both the fundamental method and it many applications in a review article which appeared as a chapter in a book on renormalization group.⁴

More recently, considerable emphasis has been placed on electrical and mechanical breakdown phenomena. It has come to be appreciated that a wide range of such phenomena can be described by the Witten-Sander model of DIFFUSION LIMITED AGGREGATION (DLA). The problem with studying DLA is that many of the traditional methods of investigation will not work. In particular, there was originally no renormalization group approach that gave realistic approximations to the actual properties of DLA. Accordingly, an effort was initiated along these lines under the auspices of this ARO contract.

The resulting paper, published in 1983, was recently identified by Science Citation Index as being among the 100 most-cited physics papers during 1983-1984.

In summary, the ARO contract contributed in a substantial way to a very active segment of research into the nature of random materials. This research was widely recognized by the scientific community, as evidenced by two of the papers having appeared on the lists of most-cited physics papers compiled by the Science Citation Index.

References:

- 1. P. J. Reynolds, H. E. Stanley and W. Klein "A large-cell Monte Carlo renormalization group for Percolation" Physical Review B 21, 1223-1245 (1980).
- 2. E. T. Gawlinski and S. Redner, "Monte-Carlo renormalization group for continuum

- percolation with excluded-volume interactions" J. Phys. A 16, 1063-1071 (1983).
- 3. S. Redner and P. J. Reynolds, "Single-scaling-field approach for an isolated polymer chain" J. Phys. A Lett. 14, L55-61 (1981); F. Family, "Real-space renormalization-group approach for linear and branched polymers" Journal of Physics A 13, L325-33 (1980).
- 4. H. E. Stanley, P. J. Reynolds, S. Redner and F. Family, "Position-space renormalization group for models of linear polymers, branched polymers, and gels" In Real-Space Renormalization (eds T. W. Burkhardt and J. M. J. van Leeuwen), Springer-Verlag, Heidelberg, 1982, pp. 171-208.

ASSASSA BOSSASSA BOSSASSA BOSSASSA

5. H. Gould, F. Family and H. E. Stanley, "Kinetics of formation of randomly branched aggregates" Phys. Rev. Lett. 50, 686-689 (1983).

Part II: Directed Percolation

Directed percolation is a generalization of the percolation problem in which a lattice may be randomly occupied by one-way bonds (diodes) instead of the two-way bonds (resistors) of the classical model. ^{1,2} There are several compelling physical reasons to investigate models of this type. For example, in strong-field hopping conduction processes, electrons are extremely unlikely to hop between impurity sites against the sense of the external electric field. This situation can be conveniently modelled by a random electrical network in which the sites are connected by diodes. ³ In addition, the temporal evolution of a number of simple chemical systems (described by Schlögl models) in d space dimensions, can be viewed as a directed percolation process in d+1 dimensions, in which the bias direction in the diode network plays the role of a time axis. ⁴

In directed percolation, the salient feature is the existence of a global orientational constraint on all the diodes. For such a model, we have obtained a number of noteworthy results.^{5,6} First, the percolation transition is fundamentally anisotropic in nature, in which two independent diverging correlation lengths, are needed to describe the geometry of the network near the percolation threshold. One length describes the mean extension of clusters along the bias, while the second describes the transverse spread of the clusters. Corresponding to the anisotropic nature of the percolation transition, we have shown that the upper critical dimension, d_c , for directed percolation equals 5, in contrast to $d_c = 6$ in isotropic percolation. We have also developed an anisotropic version of finite-size scaling⁷ that has proved to be a powerful method for treating the geometrical features of directed systems.

We have also performed analog experiments and numerical simulations for the conductivity in directed peorcolation. From the experiments, we have elucidated the rather dramatic effect that the directionality constraint imposes on the current-carrying paths. Due to the very non-local topological nature of the conduction pathways, disconnecting just one bond in the network leads to surprisingly large perturbations at the network level. We have shown how to exploit this extreme correlation between the geometry of the network and the current flowing through it in order to obtain excellent quantitative estimates for the critical behavior of directed conductivity, with experiments and simulations of a relatively modest scale.

We have also introduced a much more general and rich model in which the orientation of the diodes may be random.^{9,10} Such a model represents a logical extension of bond

percolation to incorporate degrees of freedom of an orientational nature. We have derived both exact duality relations, and exact topological relations that have facilitated a complete investigation of the percolation phenomena in this general network. As an example, we have unravelled the mysteries of "random Manhattan", a fully-occupied square lattice in which each bond is a randomly-oriented one-way path. We have demonstrated that this system is precisely at its percolation threshold, and that many of the geometric features of this network can be described exactly. There are a proliferation of new percolation transitions associated with this very general model, which are mediated by either concentration or orientational driving fields. The former influence underlies the conventional percolation transition, but the latter gives rise to rich multicritical behavior which we have elucidated in a complete fashion through the use of renormalisation-group techniques.

References

- S. Redner in Annals of the Israel Physical Society Vol. 5 Eds. G. Deutscher, R. Zallen, and J. Adler (Adam-Hilger, Bristol) (1985).
- ² W. Kinsel, ibid.
- ³ N. Van Lien and B. I. Shklovskii, Sol. St. Comm. 38, 99 (1981).
- ⁴ F. Schlögl, Z. Phys. 253, 14 1972).
- ⁵ S. Redner, Phys. Rev. B 24, 3242 (1982).
- ⁶ W. Klein and W. Kinzel, J. Phys. A 14, L405 (1981).
- ⁷ S. Redner and P. Mueller, Phys. Rev. B 26, 5293, (1982).
- ⁸ S. Redner and J. Brooks, J. Phys. A 15, L605 (1982).
- ⁹ S. Redner, J. Phys. A 14, L349 (1981).
- 10 S. Redner, J. Phys. A 15, L685 (1982).

Part III: Clusters and Nucleation

One of the most interesting results to come out of percolation studies is the ability to characterize thermal systems in terms of percolation models. This has led to an increased understanding of critical phenomena as well as a significant advance in our understanding of metastability and nucleation.

Specifically we have shown for magnetic systems and fluids that critical points can be mapped onto percolation transitions¹ This allows us to give a geometric definition to critical fluctuations which for example allows us to assign to them a fractal dimension.

In a related development we have investigated metastable systems undergoing deep quenches. This is accomplished with systems in which particles interact with long range potentials.² Such systems are quite important in several materials applications since various lead alloys, Hydrogen in metals and systems with dipolar forces (most notably water) belong to this catagory. We found that classical nucleation theory as formulated by Becker and Doering is not valid in such deep quenches. The proper characterization of the nucleating droplet is in terms of percolation clusters.³⁻⁵ The percolation models which are essential for the description of the nucleating droplet were developed with ARO support.

Research projects which will be of practical importance to the ARO that will use these developments are at present focusing on the application of these concepts to heterogeneous nucleation in cloud and fog formation and cloud seeding.

We have also made some progress in understanding the modification of the nucleation process in super cooled liquids and have found that the spinodal which exists in liquids with long range potentials⁶ and also in infinite dimensions⁷ also significantly changes⁸ the nucleation process from what one expects from the classical theory.⁹

- 1. A. Coniglio and W. Klein, J. Phys. A 13, 2775 (1980).
- 2. D. W. Heermann, W. Klein and D. Stauffer, Phys. Rev. Lett. 49, 1262 (1982).
- 3. D.W. Heermann and W. Klein, Phys. Rev. Lett. 50, 1062 (1983).
- 4. W. Klein and C. Unger, Phys. Rev. B 28, 445 (1983).
- 5. C. Unger and W. Klein, Phys. Rev. B 29, 2698 (1984).
- N. Grewe and W. Klein, J. Math. Phys. 18, 1729 (1977) and 18, 1735 (1977).
- 7. W. Klein and H. L. Frisch, J. Chem. Phys. 84, 968 (1986).
- 8. W. Klein and F. Leyvraz (in preparation).
- 9. A. D. J. Haymet and D. W. Oxtoby, J. Chem. Phys. 84, 1789 (1986).

PUBLICATIONS: CENTER FOR POLYMER STUDIES

[*Denotes articles with ARO support.]

PAPERS PUBLISHED IN 1976

1. H.E. Stanley, R.J. Birgeneau, P.J. Reynolds, and J.F. Nicoll, "Thermally driven phase transitions near the percolation threshold in two dimensions" J. Phys. C: Solid State Physics, 9, L553-560 (1976).

PAPERS PUBLISHED IN 1977

- 2. S. Redner and H.E. Stanley, "Helical order and its onset at the Lifshitz point" Physical Review B 16, 4901-4906 (1977).
- 3. S. Redner and H.E. Stanley, "The R-S model for magnetic system with competing interactions: Series expansions and some rigorous results" Journal of Physics C 10, 4765-4784 (1977).
- 4. P.J. Reynolds, W. Klein, and H.E. Stanley, "A real-space renormalization group for site and bond percolation" Journal of Physics C: Solid State Physics 10, L167-L172 (1977).
- 5. P.J. Reynolds, H.E. Stanley, and W. Klein, "Ghost fields, pair connectedness, and scaling: Exact results in one-dimensional percolation" Journal of Physics A 10, L203-210 (1977).
- 6. H.E. Stanley, "Cluster shapes at the percolation threshold: An effective cluster dimensionality and its connection with critical-point exponents" Journal of Physics A 10, L211-220 (1977).

PAPERS PUBLISHED IN 1978

- *7. W. Klein, H.E. Stanley, S. Redner, and P.J. Reynolds, "Exact solution for the one-dimensional percolation problem with further neighbor bonds" Journal of Physics A 11, L17-22 (1978).
- *8. W. Kiein, H.E. Stanley, P.J. Reynolds and A. Coniglio, "Renormalization group approach to the percolation properties of the triangular Ising model" Physical Review Letters 41, 1145-1148 (1978).
- *9. H. Nakanishi and H.E. Stanley, "A test of scaling near the bond percolation threshold" J. Phys. A 11, L189-98 (1978).
- *10. P.J. Reynolds, H.E. Stanley, and W. Klein, "Percolation by position-space renormalization group with large cells" Journal of Physics A 11, L199-L207 (1978).

- *11. P. Agrawal, S. Redner, P. J. Reynolds, and H. E. Stanley, "Site-bond percolation: A low density series study of the uncorrelated limit" Journal of Physics A 12, 2073-2085 (1979)
- 12. A. Coniglio and M. Daoud, "Polymer chains and vulcanisation" Journal of Physics A 12, L259-L265 (1979).

- *13. A. Coniglio, H.E. Stanley, and W. Klein, "Site-bond correlated-percolation problem: A statistical mechanical model of polymer gelation" Physical Review Letters 42, 518-522 (1979).
- *14. A. Coniglio, H.E. Stanley, and D. Stauffer, "Fluctuations in the numbers of percolation clusters" Journal of Physics A 12, L323-8 (1979).
- *15. M. Daoud, "Vulcanization and critical exponents" Journal de Phys.que 40, L201-L205(1979).
- *16. H. Nakanishi and P. J. Reynolds, "Site-bond percolation by position space renormalization group" Physics Letters 714, 252-254 (1979).
- 17. S. Redner, "Mean end-to-end distance of branched polymers" Journal of Physics A 12, L239-244 (1979).
- *18. S. Redner and H.E. Stanley, "Anisotropic bond percolation" Journal of Physics A 12, 1267-1283 (1979).
- *19. G. Shlifer, W. Klein, P.J. Reynolds, and H.E. Stanley, "Large-cell renormalization group for the backbone problem in percolation" Journal of Physics A 12, L 169-174 (1979).
- *20. H.E. Stanley, "A polychromatic correlated-site percolation problem with possible relevance to the unusual behavior of supercooled #80 and 980" Journal of Physics A 12, L329-L337 (1979).

- 21. Z. Alexandrowicz, "A strong universality of the excluded contacts in self-avoiding chains" Physics Letters 78A, 98-100 (1980)
- *22. Z. Alexandrowicz, "Critically branched chains and percolation clusters" Phys. Lett. 80A, 284-286 (1980)
- 23. R. Bansil and M. K. Gupta, "Effect of varying cross-linking density on polyacrylamide gels" Ferroelectrics 30, 63-72 (1980). [Proc. Int. Symposium on the Statistical Mechanics of Phase Transitions in Polymers.]
- *24. R. L. Blumberg, G. Shlifer, and H. E. Stanley, "Monte Carlo tests of universality in a correlated-site percolation problem" Journal of Physics A 13, L147-152 (1980).
- *25. A. Coniglio and W. Klein, "Clusters and Ising critical droplets: A renormalization group approach." J. Phys. A 13, 2775-80 (August 1980)
- *26. A. Coniglio and T. Lubensky, "Epsilon-expansion for correlated percolation: Application to gels" Journal of Physics A 13, 1783-89 (1980).
- 27. M. Daoud and G. Jannink, "Diffusion of a chain: Concentration effects" Journal de Physique Letters (Paris) 41, L217+20 (1980).
- 28. F. Family, "Real-space renormalization-group approach for linear and branched polymers" Journal of Physics A 13, L325-33 (1980).
- *29. F. Family and A. Coniglio, "Crossover from percolation to random animals

- and compact clusters" J. Phys. A. 13, L403-8 (1980).
- 30. A. E. Gonzalez and S. Muto, "An approximate treatment of polymer gelation in a solvent" Journal of Chemical Physics 73, 4668-4670 (1980)
- *31. A. Gonzalez and P.J. Reynolds "Universality of four-coordinated and random percolation" Physics Letters 80A, 357-60 (1980)
- *32. W. Klein, "Droplet models, renormalization group and essential singularities at first-order phase transitions" Physical Review B 21, 5254-61 (1980)
- 33. W. Klein and N. Grewe, "The Kirkwood instability in a mean field theory" Journal of Chemical Physics 72, 5456-5457 (1980).
- *34. W. Klein and D. Stauffer, "Note on the asymptotic decay of percolation clusters" Physics Letters 48A, 217-217 (1980).
- *35. H. Nakanishi and H. E. Stanley, "Scaling studies of percolation phenomena in systems of dimensionality two to seven. I. Cluster numbers" Physical Review B 22, 2466-2488 (1980).
- 36. S. Redner, "Distribution functions in the intrior of polymer chains" Journal of Physics A 13, 3525-3541 (1980)
- *37. S. Redner and A. Coniglio "On the crossover exponent for anisotropic bond percolation" Physics Letters 79A, 111-112 (1980).
- *38. P.J. Reynolds, H.E. Stanley and W. Klein "A large-cell Monte Carlo renormalization group for Percolation" Physical Review B21, 1223-1245 (1980).
- 39. H. E. Stanley, A. Coniglio, W. Klein, H. Nakanishi, S. Redner, P. J. Reynolds, and G. Shlifer, "Critical phenomena: Past, present, and future" In <u>Dynamics of Synergetic Systems</u>, ed. H. Haken, Springer-Verlag (1980). [Based on invited talk]
- 40. H.E. Stanley and J. Teixeira, "Interpretation of the unusual behavior of 980 and 980: Tests of a percolation model" Journal of Chemical Physics 73, 3404-3424 (1980).
- 41. H.E. Stanley and J. Teixeira, "Interpretation of the unusual behavior of R80 and 980 at low temperature: The concepts of percolation relevant to the "Puzzle of liquid water?" Ferroelectrics 30, 213-224 (1980) [Proc. Int. Syposium of the Statistical Mechanics of Phase Transitions in Polymers].

- 42. L. Bosio, J. Teixeira, and H.E. Stanley, "Enhanced density fluctuations in supercooled 980, 980, and ethanol-water solutions: Evidence From Small-Angle X-Ray Scattering" Phys. Rev. Lett. 46, 597-600 (1981).
- *43. A. Coniglio, "Geometrical structure and thermal phase transitions of the dilute s-state Potts and n-vector Model at the percolation threshold"

 PROCEEDINGS OF THE INTERNATIONAL CONFERENCE ON DISORDERED SYSTEMS AND LOCALIZATION, eds. C. Castellani, D. Di Castro and L. Peliti,

Springer-Verlag, Heidelberg (1981).

- *44. A. Coniglio, "Thermal phase transition of the dilute s-state Fotts and n-vector models at the percolation threshold" Phys. Rev. Lett. 46, 250-3 (1981)
- *45. A. Coniglio, F. di Liberto and G. Monroy, "Site-bond percolation in ferromagnetic and antiferromagnetic Ising models: A renormalization group approach" J. Phys. A<u>14</u>, 3017-28 (1981).
- 46. M. Daoud and A. Coniglio, "Singular behavior of the free energy in sol-gel transition" J. Phys. A14, L301-6 (1981).
- 47. F. Family, "Polymer excluded volume exponent nu in three dimensions by direct renormalization" Journal de Physique 42, 189-91 (1981)
- *48. F. Family and P. J. Reynolds, "Radius of clusters at the percolation threshold: a position space renormalization group study" Z. Physik B 45, 123-128 (1981).
- *49. E. T. Gawlinski and H. E. Stanley, "Continuum percolation in two dimensions: Monte Carlo tests of scaling and universality for non-interacting discs" J. Phys. A Lett. A 14, L291-9 (1981).
- A. E. Gonzalez and M. Daoud, "Vulcanisation of a binary mixture of long polymers" J. Phys. A 14, 2441-2457 (1981).
- *51. H. Gould and K. Holl, "Diffusivity and radius of random animals, percolation clusters and compact clusters" J. Phys. A14, L443-51 (1981).
- 52. M. K. Gupta and R. Bansil, "Effect of varying catalyst concentration on the polymerization of acrylamide" Polymer Preprints 22, 375 (1981).
- 53. M. K. Gupta and R. Bansil, "Laser Raman spectroscopy of polyacrylamide and its covalently cross-linked gel" J. Poly. Sci., Physics Ed. 19, 353-60 (1981)
- 54. M. K. Gupta and R. Bansil, "Raman spectroscopy as a structural probe of polyacrylamide gels" Polymer Preprints 22, 192-3 (1981).
- *55. W. Klein, "Droplet models, percolation and spinodal points" Phys. Rev. Lett. 47, 1569-72 (1981).
- 56. W. Klein and A. C. Brown, "Spinodals in the mean theory of freezing" J. Chem. Phys. 74, 6960-4 (1981).
- *57. W. Klein and A. Coniglio "Thermal phase transitions at the percolation threshold" Phys. Lett. A 84, 83-4 (1981).
- *58. W. Klein and W. Kinzel, "Directed percolation: Pseudo correlation length" J. Phys. A<u>14</u>, L405-411 (1981).
- *59. W. Klein and D. Stauffer "Remark on percolative phase transitions without an infinite network" J. Phys. A 14, L413-L416 (1981).
- 60. Shunichi Muto, "A cell-renormalization treatment of a single polymer chain" Progress of Theoretical Physics Letters 65, 1081-1084 (1981).

- *61. H. Nakanishi and H. E. Stanley, "Scaling studies of percolation phenomena in systems of dimensionality two to seven. II. Equation of state."

 Journal of Physics A 14, 693-720 (1981)
- *62. H. Nakanishi, P. J. Reynolds and S. Redner "Anisotropic bond percolation by position-space renormalization-group" Journal of Physics A 14, 855-71 (1981)
- *63. R. Pike and H. E. Stanley, "Order propagation near the percolation threshold" J. Phys. A Lett A 14, L169-77 (1981).
- 64. S. Redner, "One dimensional Ising chain with competing interactions: Exact results and connection with other statistical models" Journal of Statistical Physics 23, 15-23 (1981)
- *65. S. Redner, "Percolation and conduction in a random resistor-dioce network" J. Phys. A<u>14</u>, L349-54 (1981).
- *66. S. Redner and A. C. Brown, "Percolation properties of a three-dimensional random resistor-diode network" J. Phys. A<u>14</u>, L285-90 (1981).
- 67. S. Redner and P. J. Reynolds, "Position-space renormalization group for isolated polymer chains" J. Phys. A 14, 2679-2703 (1981).
- 68. S. Redner and P. J. Reynolds, "Single-scaling-field approach for an isolated polymer chain" J. Phys. A Lett. 14, L55-61 (1981).
- *69. D. Shalitin, "Continuous percolation in one dimension" J. Phys. A 14, 1983-1991 (1981).
- 70. H. E. Stanley, "New directions in percolation, including some possible applications of connectivity concepts to the real world" Proceedings of the INTERNATIONAL CONFERENCE ON DISORDERED SYSTEMS AND LOCALIZATION (eds. C. Castellani, C. DiCastro, and L. Peliti), Springer Lecture Notes on Physics Series (Springer Verlag, Heidelberg), 1981.
- 71. H. E. Stanley, A. Coniglio, W. Klein, and J. Teixeira, "Connectivity and theoretical physics: Some application to chemistry" PROCEEDINGS OF THE VI BRAZILIAN SYMPOSIUM ON THEORETICAL MYSICS (Rio De Janeiro), Springer Verlag, Heidelberg and New York, 1981. [Based on invited talk]
- 72. H.E. Stanley, J. Teixeira, A. Geiger, and R. L. Blumberg, "Are concepts of percolation relevant to the puzzle of liquid water?" Physica A 106, 260-277 (1981). [Invited talk, International Conference on Thermodynamics and Scatistical Mechanics, STATPHYS 14, Edmonton, Canada]

FAPERS PUBLISHED IN 1982

- 73. R. Bansil, J. Wiafe-Akenten, J. Taaffe, "Raman spectroscopy of supercooled water" J. Chem. Phys. 76, 2221-6 (1982).
- 74. R. Bansil, J. Wiafe-Akenten and S. Krishnamurthy, "Laser Raman spectroscopy of supercooled water" to appear in <u>Proc. of Conf. on Lasers as Reactants and Probes in Chemistry</u> (Howard University Press, Washington D.C., 1982)
- 75. A. C. Brown, "Critical properties of an altered Ising model" Phys. Rev. B

ether that the third that the transfer of the control of the transfer of the t

- 25, 331-336 (1982).
- A. C. Brown, C. Unger and W. Klein, "Dynamics of supercooled fluids" Z. Phys. B 48, 1-4 (1982).
- *77. A. Coniglio, "Cluster structure near the percolation threshold" J. Phys. A 15, 3829-3844 (1982).
- *78. A. Coniglio and F. Peruggi, "Clusters and droplets in the q-state Potts model" J. Phys. A15, 1873-1883 (1982).
- 79. A. Coniglio, H. E. Stanley, and W. Klein, "Solvent effects on polymer gels: A statistical mechanical model" Phys. Rev. B 25, 6805-6821 (1982).
- *80. A. Coniglio and R. K. P. Zia, "Analysis of the Migdal-Kadanoff renormalization group approach to the dilute s-state Potts model. An alternative cheme for the percolation (s--->1) limit" J. Phys. A 15, L399-L405 (1982).
- *81. A. Coniglio, F. di Liberto, G. Monroy and F. Peruggi, "Clusters and Ising droplets in the antiferromagnetic lattice gas" Phys. Lett. 87A, 189-192 (1982).
- *82. Z. V. Djordjevic, H. E. Stanley and A. Margolina, "Site percolation threshold for honeycomb and square lattices" J. Phys. A 15, L405-L412 (1982).
- 83. A. Geiger and H. E. Stanley, "Low-density patches in the hydrogen-bonded network of liquid water: Evidence from molecular dynamics computer simulations" Phys. Rev. Lett. 49, 1749-1752 (1982).
- *84. A. Geiger and H. E. Stanley, "Tests of universality of percolation exponents for a 3-dimensional continuum system of interacting waterlike particles" Phys. Rev. Lett. 49, 1895-1898 (1982).
- 85. D. W. Heermann, "Classical nucleation theory with a Tolman correction" J. Stat. Phys. 29, 631-640 (1982).
- 86. D. W. Heermann, W. Klein and D. Stauffer, "Spinodals in a medium-range interaction system" Phys. Rev. Lett. 49, 1262-1264 (1982).
- 87. H. J. Herrmann, D. P. Landau and D. Stauffer, "New universality class for kinetic gelation" Phys. Rev. Lett. 49, 412-415 (1982).
- *88. N. Jan, A. Coniglio, and D. Stauffer, "Study of droplets for correlated site-bond percolation in two dimensions" J. Phys. A 15, L699-L704 (1982).
- *89. N. Jan and D. Stauffer, "Test of universality for Ising-correlated site percolation" J. Phys. A <u>15</u>, L705-L711 (1982).
- 89a. N. Jan and D. Stauffer, "Determination of the nonlinear relaxation exponent: A Monte Carlo Study" Phys. Lett. <u>93A</u>, 39-40 (1982).
- *90. W. Klein, "Comment on an exactly soluble anisotropic percolation model" J. Phys. A 15, 1759-1763 (1982).
- 91. W. Klein, "The mean field theory of freezing and spinodals" in Physics

- as Natural Philosophy: Festschrift in honor of Laszlo Tisza (eds A. Shimony and H. Feshbach), MIT Press, 1982, pp 88-102.
- *92. W. Klein, "Potts model formulation of continuum percolation" Phys. Rev. B 26, 2677-2678 (1982).
- *93. A. Margolina, H. J. Herrmann and D. Stauffer, "Size of largest and second-largest cluster in random percolation" Phys. Lett. <u>49A</u>, 73-75 (1982).
- 94. H. Nakanishi and S. Redner, "A scaling picture of a single polymer in the dense phase" Phys. Lett. 88A, 67-69 (1982).
- 95. I. One and K. Ite, "Mente Carlo simulations and pair approximations on the phase transition of the restricted orientational lattice model for liquid crystals" J. Phys. C $\underline{15}$, 4417-4430 (1982).
- *96. S. Redner, "Directed and diode percolation" Phys. Rev. B 25, 3242-3250 (1982).
- *97. S. Redner, "Conductivity of random resistor-diode networks" Phys. Rev. B 25, 5646-5655 (1982).
- *98. S. Redner, "A Fortran program for cluster enumeration" J. Stat. Phys. 29, 309-315 (1982).
- *99. S. Redner, "Exact exponent relations for random resistor-diode networks" J. Phys. A 15, L685-L690 (1982).
- *100 S. Redner and J. S. Brooks, "Analogue experiments and computer simulations for directed conductivity" J. Phys. A Lett. <u>15</u>, L605-L610 (1982).
- *101 S. Redner and A. Coniglio, "Flory theory for directed lattice animals and directed percolation" J. Phys. A <u>15</u>, L273-L278 (1982).
- *102 S. Redner and P. R. Mueller, "Conductivity in a random directed diode network near the percolation threshold" Phys. Rev. B 26, 5293-5295 (1982).
- *103 S. Redner and Z. R. Yang, "Size and shape of directed lattice animals" J. Phys. A 15, L177-87 (1982).
- *104 J. Roussenq, A. Coniglio and D. Stauffer, "Study of droplets for correlated site-bond percolation in three dimensions" J. Phys. (Paris) 43, L703-L709 (1982).
- *105 D. Shalitin, "Relations between site percolation thresholds" J. Stat. Phys. 28, 99 (1982).
- *106 H. E. Stanley, "Geometric analogs of phase transitions" in <u>Physics as Natural Philosophy: Festschrift in honor of Laszlo Tisza</u> (eds. A. Shimony and H. Feshbach), MIT Press, 1982, pp. 65-87.
- *107 H. E. Stanley, "Connectivity: A primer in phase transitions and critical phenomena for students of particle physics" In <u>Proc NATO Advanced Study Institute on Structural Elements in Statistical Mechanics and Particle</u>

- Physics (eds K. Fredenhagen and J. Honerkamp), Plenum Press, New York, 1982.
- 108. H. E. Stanley, "Renormalization group approach to polymer physics."

 Progress in Physics 30, 95-156 (1982) [a 60-page article based on: a: 33-hour lecture course Translated into Chinese by X. Huang, J. Lee, and Z. Lin of Peking University]
- *109 H. E. Stanley, S. Redner and Zhan-Ru Yang, "Site and bond directed branched polymers for arbitrary dimensionality: Evidence supporting a relation with the Lee-Yang edge singularity" J. Phys. A 15, L569-L575 (1982).
- *110 H. E. Stanley, P. J. Reynolds, S. Redner and F. Family, "Position-space renormalization group for models of linear polymers, branched polymers, and gels" In Real-Space Renormalization (eds. T. W. Burkhardt and J. M. J. van Leeuwen), Springer-Verlag, Heidelberg, 1982, pp. 171-208.
- 111. D. Stauffer, "Recent advances in simulation of magnetic systems" Proc. Conf. on Magnetism and Magnetic Materials J. Appl. Phys. 53, 7980 (1982).
- 112. D. Stauffer, A. Coniglio and M. Adam, "Gelation and critical phenomena" Advances in Polymer Science 44, 103-158 (1982)
- 113. D. Stauffer, A. Coniglio and D. W. Heermann, "Monte Carlo experiment for nucleation rate in three-dimensional Ising model" Phys. Rev. Lett. 49, 1299-1302 (1982).
- *114 G. Tuthill and W. Klein, "General position-space renormalization group for correlated percolation" J. Phys. A 15, L377-L384 (1982).
- *115 F. Y. Wu and H. E. Stanley, "Domany-Kinzel model of directed percolation: formulation as a random walk problem and some exact results" Phys. Rev. Lett. 48, 775-778 (1982).
- 116. F. Y. Wu and H. E. Stanley, "Universality of Potts models with two- and three-site interactions" Phys. Rev. B 26, 6326-6330 (1982).

- 117. A. Coniglio, "Potts model formulation of branched polymers in a solvent" J. Phys. A Lett. 16, L187-L191 (1983).
- 118. A. Coniglio, "Sol-gel transition" Helvetica Physica Acta 56, 721-732 (1983) [based on invited talk at the 1983 MEETING OF THE EUROPEAN PHYSICAL SOCIETY, Lausanne, March 1983].
- *119 A. Coniglio, "Percolation effects and disorder" in Proceedings of Erice School on Ferromagnitic Transitions, eds. M. Ausloss and R. J. Elliott (Springer-Verlag, Berlin, 1983).
- *120 A. Coniglio, "Droplet theory of phase transition and metastability"
 Proceedings of Varenna School on HIGHLIGHTS OF CONDENSED MATTER PHYSICS
 (July 1983), pp. 912ff, based on invited talk.
- *121 A. Coniglio and R. Figari, "Droplet structure in Ising and Potts model"

- J. Phys. A Lett. <u>16</u>, L535-L540 (1983).
- 122. Z. V. Djordjevic, I. Majid, H. E. Stanløy and R. J. dos Santos, "Correction-to-scaling exponents and amplitudes for the correlation length of linear polymers in two disensions" J. Phys. A Lett. 16, L519-L524 (1983).
- 123. F. Family, C. Unger and H. Gould, "Branching and vulcanization of polymer chains" J. Phys. A 16, L665-L668 (1983).
- *124 E. T. Gawlinski and S. Redner, "Monte-Carlo renormalization group for continuum percolation with excluded-volume interactions" J. Phys. A 16, 1063-1071 (1983).
- *125 H. Gould, F. Family and H. E. Stanley, "Kinetics of formation of randomly branched aggregates" Phys. Rev. Lett. 50, 686-689 (1983).
- 126. M. K. Gupta and R. Bansil, "Raman spectroscopic and thermal studies of polyacrylamide gels with varying monomer/co-monomer ratios" J. Polymer Sci.: Polymer Lett. 21, 969-977 (1983).
- 127. M. K. Gupta and R. Bansil, Differential scanning calorimetry of acrylamide-bisacrylamide copolymer gels" in PROCEEDING OF NORTH AMERICAN THERMAL ANALYSIS SOCIETY 12TH ANNUAL MEETING (Symposium on multiphase polymers and composites), Sept. 1983, in press.
- *128 D. W. Heermann and W. Klein, "Percolation and droplets in a medium-range three-dimensional Ising model" Phys. Rev. B 27, 1732-1735 (1983).
- *129 D. W. Heermann and W. Klein, "Nucleation and growth of non-classical droplets" Phys. Rev. Lett. <u>50</u>, 1062-1065 (1983).
- 130. H. J. Herrmann, D. Stauffer and D. P. Landau, "Computer simulation of a model for irreversible gelation" J. Phys. A 16, 1221-1239 (1983).
- 131. H. J. Herrmann, F. Family and H. E. Stanley, "Position-space renormalization group for directed branched polymers" J. Phys. A Lett. 16, L375-L379 (1983).
- *132 D. C. Hong and H. E. Stanley, "Exact enumeration approach to fractal properties of the percolation backbone and 1/(sigma) expansion" J. Phys. A 16, L475-L481 (1983).
- *133 D. C. Hong and H. E. Stanley, "Cumulant renormalization group and its application to the incipient infinite cluster in percolation" J. Phys. A 16, L525-L530 (1983).
- 134. N. Jan and L. L. Moseley, "The weight function and optimal transformations" J. Phys. A 16, 2281-2291 (1983).
- 135. N. Jan and M. O. Steinitz, "Comparison of different boundary conditions for Monte Carlo simulations of Ising models" J. Stat. Phys. 30, 37-44 (1983).
- 136. N. Jan, L. L. Moseley and D. Stauffer, "Dynamic Monte Carlo renormalization group" J. Stat. Phys. 33, 1-11 (1983).

例が次の20mmの20mmでの2

- *137 J. Kerte'sz, D. Stauffer and A. Coniglio, "Clusters for random and interacting percolation" Ann. Israel Phys. Soc. (Adler, Deutscher and Zallen, eds), p. 121-148.
- 138. W. Klein, "Renormalization group and linear integral equations" Phys. Rev. B 27, 4475-4478 (1983).
- 139. W. Klein and C. Unger, "Pseudospinodals, spinodals and nucleation" Phys. Rev. B 28, 445-448 (1983).
- 140. S. Krishnamurthy and R. Bensil, "Nucleation and growth in a polymer solution" Phys. Rev. Lett. 50, 2010-2013 (1983).
- 141. S. Krishnamurthy, R. Bansil and J. Wiafe-Akenten, "Low-frequency Raman spectrum of supercooled water" J. Chem. Phys. 79, 5863-5870 (1983).
- *142 F. Leyvraz and H. E. Stanley, "To what class of fractals does the Alexander-Orbach conjecture apply?" Phys. Rev. Lett. <u>51</u>, 2048-2051 (1983).
- *143 I. Majid, Z. V. Djordjevic' and H. E. Stanley, "Correlation length exponent for the O(n) model in two dimensions for n=0" Phys. Rev. Lett. 51, 143 (1983) [Comments section].
- 144. I. Majid, Z. V. Djordjevic' and H. E. Stanley, "Scaling and correction-to-scaling exponents for the three-dimensional linear polymer problem" Phys. Rev. Lett. <u>51</u>, 1282-1285 (1983).
- 145. A. Margolina, Z. V. Djordjevic, D. Stauffer and H. E. Stanley, "Corrections to scaling for branched polymers and gels" Phys. Rev. B 28, 1652-1655 (1983).
- *146 P. Meakin and H. E. Stanley, "Spectral dimension for the diffusion-limited aggregation model of colloid growth" Phys. Rev. Lett. 51, 1457-1460 (1983).
- 147. I. Nishio, T. Tanaka, S.-T. Sun, Y. Imanishi and S. T. Ohnishi, "Hemoglobin aggregation in single red blood cells of sickle cell anemia" Science 220, 1173-1175 (1983).
- *148 S. Redner, "Percolation and conduction in random resistor-diode networks" in Percolation structures and processes (eds. G. Deutscher, R. Zallen and J. Adler), pp. 447-476.
- *149 S. Redner "Recent progress and puzzles in percolation" from a workshop on the Physics and Mathematics of Disordered Media, Univ. of Minnesota, the Springer Lecture Notes on Mathematics 184-200 (1983).
- *150 S. Redner "Directionality effects in percolation" ibid., 246-259 (1983).
- 151. S. Redner and I. Majid, "Critical properties of directed self-avoiding walks" J. Phys. A 16, L307-L310 (1983).
- 152. S. Redner and K. Kang, "Asymptotic solution of correlated walks in one dimension" Phys. Rev. Lett. 51, 1729-1732 (1983).
- *153 H. E. Stanley, "Aggregation phenomena: Models, applications and

- calculations" J. Phys. Soc. Jpn. Suppl. 52, 151-163 (1983) [Proc. Int'l Conf. on New Type of Ordered Phase, Kyoto]. Based on invited talk.
- 154. H. E. Stanley, R. L. Blumberg and A. Geiger, "Gelation models of hydrogen bond networks in liquid water" Phys. Rev. B 28, 1626-1629 (1983).
- *155 H. E. Stanley and A. Coniglio, "Fractal structure of the incipient infinite cluster in percolation" In <u>Percolation structures and processes</u> (eds G. Deutscher, R. Zallen and J. Adler), pp 101-120.
- *156 H. E. Stanley, K. Kang, S. Redner and R. L. Blumberg, "Novel superuniversal behavior of a random walk model" Phys. Rev. Lett. 51, 1223-1226 (1983).
- 157. J. Teixeira, H. E. Stanley, Y. Bottinga and P. Richet, "Application of a percolation model to supercooled liquids with a tetrahedral structure" [PROC. MARSEILLES CONF. ON SILICATES], Bull. Miner. 106, 99-105 (1983).
- *158 C. Tsallis, A. Coniglio and S. Redner, "Break-collapse method for resistor networks--renormalization group applications" J. Phys. C <u>16</u>, 4339-4345 (1983).
- *159 C. Tsallis and S. Redner, "A new approach to multicriticality in directed and diode percolation" Phys. Rev. B <u>28</u> 6603-6606 (1983).
- *160 C. Tsallis and R. J. dos Santos, "On the critical point of the fully-anisotropic quenched bond-random Potts ferromagnet in triangular and honeycomb lattices" J. Phys. A 16, 3601-3610 (1983).
- *161 G. Tuthill and W. Klein, "Renormalization group for percolation using correlation parameters" J. Phys. A. 16, 3561-3570 (1983).
- 162. J. Wiafe-Akenten and R. Bansil, "Intermolecular coupling in HOD solutions" J. Chem. Phys. 78, 7132-7137 (1983).
- *163 F. Y. Wu and H. E. Stanley, "Polychromatic Potts model: A new lattice-statistical problem and some exact results" J. Phys. A 16, L751-L755 (1983).
- 164. F. Y. Wu and Z. R. Yang, "The Slater model of K(Q1-Q9Q9QP98 in two dimensions" J. Phys. C <u>16</u>, L125-L129 (1983).

PAPERS PUBLISHED OR SUBMITTED IN 1984

- 165. R. Bansil, H. J. Herrmann and D. Stauffer, "Computer simulation of kinetics of gel formation by addition polymerization in the presence of a solvent" Macromolecules <u>17</u> (1984).
- *166 K. Binder, "Nucleation barriers, spinodals and the Ginzburg criterion" Phys. Rev. A 29, 341-349 (1984).
- *167 R. L. Blumberg, H. E. Stanley, A. Geiger, and P. Mausbach, "Connectivity of hydrogen bonds in liquid water" J. Chem. Phys. 80, 5230-5241 (1984).
- 168. J. L. Cardy, "Conformal invariance and surface critical behavior" Nuclear Phys. B 240[FS12], 514-522 (1984).

- 169. J. L. Cardy and S. Redner, "Conformal invariance and self-avoiding walks in restricted geometries" J. Phys. A 17, L933 (1984).
- 170. V. Chukanov, "Is percolationm of relevance to the superheating of light and heavy water?" J. Chem. Phys. 83, 1902 (1985).
- 171. A. Coniglio and H. E. Stanley, "Screening of deeply invaginated clusters and the critical behavior of the random supercorducting network" Phys. Rev. Lett. <u>52</u>, 1068-1072 (1984).
- 172. Z. V. Djordjevic, S. Havlin, H. E. Stanley and G. H. Weiss, "New method for growing branched polymers and large percolation clusters below 98" Phys. Rev. B 30, 478-481 (1984).
- 173. F. Family and A. Coniglio, "Geometrical arguments against the Alexander-Orbach conjecture for lattice animals and diffusion limited aggregates" J. Phys. A 17, L285-L287 (1984).
- *174 F. Family and H. Gould, "Polymer chain statistics and universality: Crossover from random to self-avoiding walks" J. Chem. Phys. 80, 3892-3897 (1984).
- 175. M. E. Fisher, V. Privman and S. Redner, "Mean-square winding angle of self-avoiding walks" J. Phys. A 17, L569 (1984).
- 176. A. Geiger, P. Mausbach, J. Schnitker, R. L. Blumberg, H. E. Stanley, "Structure and dynamics of the hydrogen bond network in water by computer simulations" Proc. International Workshop on "Structure and Dynamics of Water and Aqueous Solutions: Anomalies and the possible implications in biology" [published in J. de Physique 45, C7[13]-C7[30] (1984)].
- 177. H. Gould and R. Kohin, "A renormalization group approach for diffusion on lattice animals and percolation clusters" J. Phys. A Lett. 17, L159 (1984).
- *178 S. Havlin, Z. Djordjevic, I. Majid, H. E. Stanley and G. Weiss, "Relation between 'dynamic' transport properties and 'static' topological structure for branched polymers" Phys. Rev. Lett. <u>53</u>, 178-181 (1984).
- 179. S. Havlin, B. Trus and H. E. Stanley, "Cluster growth model for <u>branched</u> polymers that are "<u>chemically linear</u>" Phys. Rev. Lett. <u>53</u>, 1288-1291 (1984).
- *180 D. W. Heermann, A. Coniglio, W. Klein and D. Stauffer, "Monte Carlo simulation of metastable states in 3d Ising models" J. Stat. Phys. 36, 447 (1984).
- *131 H. J. Herrmann, D. C. Hong and H. E. Stanley, "Backbone and elastic backbone of percolation clusters obtained by the new method of 'burning'" J. Phys. A Lett. '7, L261-L266 (1984).
- 182. H. J. Herrmann and H. E. Stanley, "Building blocks of percolation clusters: Volatile fractals" Phys. Rev. Lett. <u>53</u>, 1121-1124 (1984).
- 183. D. C. Hong, "Random walks on hierarchical lattices at the percolation threshold" J. Phys. A 17, L929-932 (1984).

- *184 D. C. Hong, S. Havlin, H. J. Herrmann and H. E. Stanley, "Breakdown of Alexander-Orbach conjecture for percolation: Exact enumeration of random walks on percolation backbones" Phys. Rev. B 30, 4083-4086 (1984).
- *185 D. C. Hong, N. Jan, H. E. Stanley, T. Lookman and D. A. Pink, "Fractal dimensionality for kinetic gelation with conserved initiators" J. Phys. A 17, L433 (1984).
- 186. D. C. Hong, H. E. Stanley and N. Jan, "Comment on 'Self-similarity in irreversible kinetic gelation'" Phys. Rev. Lett. 53, 509 (1984).
- *187 K. Kang, P. Meakin, J. H. Oh and S. Redner, "Universal behavior of N-body processes" J. Phys. A 17, L665 (1984).
- *188 K. Kang and S. Redner, "Novel behavior of biased correlated walks in one dimension" J. Chem. Phys. 80, 2752-2755 (1984).
- *189 K. Kang and S. Redner, "Scaling approach for the kinetics of recombination processes" Phys. Rev. Lett. <u>52</u>, 955-958 (1984).
- *190 K. Kang and S. Redner, "Fluctuation effects in Smoluchowski reaction kinetics" Phys. Rev. A 30, 2833 (1984).
- 191. L. Lam, A. Bunde and A. Theophilou, "Inequalities for liquids in a periodic potential" J. Phys. A 17 3107 (1984).
- 192. T. Lookman, R. Pandey, N. Jan, D. Stauffer, L. L. Moseley and H. E. Stanley, "Real-space renormalization group for kinetic gelation" Phys. Rev. B 29, 2805-2807 (1984).
- 193. I. Majid, D. Ben-Avraham, S. Havlin and H. E. Stanley, "Exact enumeration approach to random walks on percolation clusters in two dimensions" Phys. Rev. B 30, 1626-1628 (1984).
- 194. I. Majid, N. Jan, A. Coniglio and H. E. Stanley, "The kinetic growth walk: A new model for linear polymers" Phys. Rev. Lett. <u>52</u>, 1257-1260 (1984).
- 195. A. Margolina, H. Nakanishi, D. Stauffer and H. E. Stanley, "Monte Carlo and series study of corrections to scaling in two-dimensional percolation" J. Phys. A <u>17</u>, 1683 (1984).
- 196. A. Margolina and H. J. Herrmann, "On finite-size scaling of the order parameter in percolation" Phys. Lett. 104A, 295-298 (1984).
- 197. P. Mausbach, J. Schnitker, A. Geiger and H. E. Stanley, "Molecular dynamics simulation study of aggregation phenomena in supercooled water" in Proc. 14th International Symposium of Rarefied Gas Dynamics, Tsukuba Science City, Japan [published in Rarefied Gas Dynamics, H. Oguchi, Ed., Univ. Tokyo Press, 1984, pp. 809-816].
- *198 P. Meakin and H. E. Stanley, "Novel dimension-independent behavior for diffusive annihilation on percolation fractals" J. Phys. A <u>17</u>, L173-L178 (1984).
- 199. P. Meakin, I. Majid, S. Havlin and H. E. Stanley, "Topological properties of diffusion-limited aggregation and cluster-cluster aggregation" J.

- Phys. A 17, L975-L981 (1984).
- 200. M. Mezei and R. J. Speedy, "Pentagon-pentagon correlations in water" J. Phys. Chem. 88, xxx (1984).
- 201. M. Mezei and R. J. Speedy, "Simulation studies of the dihedral angle in water" J. Phys. Chem. 88, 3180-3182 (1984).
- *202 S. Redner and L. De Arcangelis, "Asymptotic properties of spiral self-avoiding walks" J. Phys. A 17, L203-L208 (1984).
- 203. S. Redner and K. Kang, "Kinetics of the 'scavenger' reaction" J. Phys. A 17, L451-L455 (1984).
- 204. S. Redner and K. Kang, "Unimolecular reaction kinetics" Phys. Rev. A 30, 3362-3365 (1984).
- *205 H. E. Stanley, "Application of fractal concepts to polymer statistics and to anomalous transport in randomly porous media" N.B.S. CONFERENCE ON FRACTALS (invited talk), to appear in J. Stat. Phys. 36, 843 (1984).
- *206 H. E. Stanley, "Fractal concepts in aggregation and gelation: An introduction" PROC. INTERNATIONAL CONF. ON THE KINETICS OF AGGREGATION AND GELATION (F. Family and D. P. Landau, eds), North-Holland, Amsterdam, 1984). page 1.
- *207 H. E. Stanley and A. Coniglio, "Flow in porous media: The backbone fractal at the percolation threshold" Phys. Rev. B 29, 522-524 (1984).
- *208 H. E. Stanley, I. Majid, A. Margolina and A. Bunde, "Direct tests of the Aharony-Stauffer argument" Phys. Rev. Lett. 53, 1706 (1984).
- 209. H. E. Stanley "The 'locally-structured transient gel' model of water structure" Proc. International Workshop on "Structure and Dynamics of Water and Aqueous Solutions: Anomalies and the possible implications in biology" [published in Journale de Physique 45, C7 page 1 (1984)].
- 210. M. J. Stephen, "Random walks and the Potts model" Phys. Rev. B 29, 374-379 (1984).
- 211. S. T. Sun, T. Tanaka, I. Nishio, J. Peetermans, J. V. Maizel Jr. and J. Piatigorsley, "Direct observation of (delta)-crystallin accumulation by laser-light scattering spectroscopy in chicken lens" Proc. Natl. Acad. Sci. 81, 785-787 (1984).
- 212. C. Unger and W. Klein, "Nucleation near the classical spinodal" Phys. Rev. B 29, 2698-2708 (1984).

PAPERS PUBLISHED OR SUBMITTED IN 1985

- 213. C. Amitrano, A. Bunde and H. E. Stanley, "Diffusion of interacting particles on fractal aggregates" J. Phys. A <u>18</u>, L923-L929 (1985).
- 213a L. de Arcangelis, A. Coniglio and S. Redner, "A connection between linear and nonlinear resistor networks," J. Phys. A <u>18</u>, L805-L808 (1985).

- 213b L. de Arcangelis, S. Redner and A. Coniglio, "Anomalous voltage distribution of random resistor networks and a new model for the backbone at the percolation threshold" Phys. Rev. B 31, 4725-4727 (1985).
- 214. L. de Arcangelis, S. Redner and H. J. Herrmann, "A random fuse model for breaking processes" J. de Physique Lett. 46, 585 (1985).
- 214a R. C. Ball, D. A. Weitz, T. A. Witten, and F. Leyvraz, "Universal kinetics in reaction-limited aggregation" (preprint).
- 215. R. Bansil, T. Berger, K. Toukan, M. A. Ricci and S. H. Chen, "A molecular dynamics study of the OH stretching vibrational spectrum of liquid water," Chem. Phys. Lett. (submitted).
- 216. R. Bansil, B. Carvalho and H. J. Herrmann, "Cluster size distribution in three-dimensional kinetic gelation in the presence of a mobile solvent" J. Phys. A 18, L159-L163 (1985).
- 217. R. Bansil and M. K. Gupta, "Effects of varying TEMED on the polymerization of acrylamide" J. Polymer Sci., Polymer Letters Ed. (in preparation).
- 218. R. Bansil, H. J. Herrmann and D. Stauffer, "Kinetic percolation with mobile monomers and solvents as a model for gelation" J. Polymer Sci. (Physic Ed.) 1984, in the PROCEEDINGS OF THE WORKSHOP ON DYNAMICS OF POLYMERS, eds. P. Pincus and S. Edwards, J. Poly. Sci. 73, 175 1985).
- 219. A. Bunde and J. F. Gouyet, "On scaling relations in growth models for percolating clusters and diffusion fronts" J. Phys. Λ Lett. 18, L285 (1985).
- 220. A. Bunde and J. F. Gouyet, "Brownian motion in the bistable potential at intermediate and high friction: Relaxation from the instability point" Physica A 132, 357-374 (1985).
- 221. A. Bunde, A. Coniglio, D. C. Hong and H. E. Stanley, "Transport in a two-component randomly-composite material: Scaling theory and computer simulations of termite diffusion near the superconducting limit" J. Phys. A Lett. 18, L137-L144 (1985).
- *222 A. Bunde, H. J. Herrmann, A. Margolina and H. E. Stanley, "On the universality of spreading phenomena: A new model with fixed static but continuously tunable kinetic exponents" Phys. Rev. Lett. <u>55</u>, 653 (1985).
- 223. A. Bunde, S. Havlin, R. Nossal and H. E. Stanley, "Anomalous trapping of interacting diffusing particles in linear channels" Phys. Rev. B <u>32</u> 3374 (1985).
- 224. A. Bunde, H. J. Herrmann and H. E. Stanley, "The shell model: A new growth model with continuously tunable forgotten growth sites" J. Phys. A 18, L523-L529 (1985).
- 225. A. Bunde, S. Havlin, R. Nossal, H. E. Stanley and G. H. Weiss, "On controlled diffusion-limited drug release from a leaky matrix" J. Chem. Phys. 83, 5909-5913 (1985)
- 226. A. Bunde, W. Dieterich and E. Roman, "Dispersed ionic conductors and

- percolation theory" Phys. Rev. Lett. 55, 5 (1985).
- 227. A. Bunde, W. Dieterich and E. Roman, "Monte Carlo studies of ionic conductors containing an insulating second phase," Solid State Ionics (in press).
- 228. A. Bunde, H. Harder and W. Dieterich, "On diffusion hindered by dimers, site percolation and the mixed-alkali effect," Solid State Ionics (in press).
- 229. A. Coniglio, "Sh.pes, surfaces and interfaces in percolation clusters" in Finely Divided Matter [PROC. LES HOUCHES WINTER CONFERENCE], N. Boccara and M. Daoud, eds., Springer Verlag, New York, 1985.
- *230 A. Coniglio, "Scaling properties of the probability distribution for growth sites" In On Growth and Form: Fractal and Nonfractal Patterns in Physics Proc. 1985 Cargese NATO ASI Institute (Eds. H. E. Stanley and N. Ostrowsky) Martinus Nijhoff Pub, Dordrecht, 1985, page 101.
- *231 A. Coniglio, "An infinite hierarchy of exponents to describe growth:
 phenomena" in <u>Fractals in Physics: Proc. 1985 Trieste Conf. on</u>
 <u>Theoretical Physics</u> (ed. L. Pietronero), North Holland, Amsterdam, 1985.
- *232 A. Coniglio, N. Jan, I. Majid and H. E. Stanley, "New model embodying the physical mechanism of the coil-globule transition at the theta point of a linear polymer" Phys. Rev. Lett. (submitted).
- 233. G. Daccord, J. Nittmann and H. E. Stanley. "Radial viscous fingers and DLA: Fractal dimension and growth sites" Phys. Rev. Lett. <u>56</u>, 336 (1986).
- *234 G. Daccord, J. Nittmann and H. E. Stanley, "Fractal growth of viscous fingers: New experiments and models" in <u>Finely Divided Matter [PROC. LES HOUCHES WINTER CONFERENCE]</u>, N. Boccara and M. Dacud, eds., Springer Verlag, New York, 1985.
- *235 G. Daccord, J. Nittmann and H. E. Stanley, "Fractal viscous fingers: Experimental results" In On Growth and Form: Fractal and Nonfractal Patterns in Physics Proc. 1985 Cargese NATO ASI Institute (Eds. H. E. Stanley and N. Ostrowsky) Martinus Nijhoff Publishers, Dordrecht, 1985, page 203.
- 235b L. J. de Jongh, G. Mennenga and A. Coniglio, "Experimental evidence for fractal properties of the infinite percolation cluster in randomly-diluted magnets. Comparison with the 'nodes-links-blobs' model" Physica 314B, xxx (1985).
- *236 Z.V.Djordjevic and H.E. Stanley, "Theory of lattice animals" J. Phys.A
- 237. Z. V. Djordjevic, H. E. Stanley and D. Stauffer, "Corrections to scaling for branched polymers" J. Phys. A (to be submitted).
- 238. F. Family and A. Coniglio, "Flory theory for conductivity of random resistor networks" J. de Physique Lett. 46 xxx (1985).
- 238a P. Freche, D. Stauffer, and h. E. Stanley, "Surface structure and anisotropy of Eden clusters" J. Phys. A 18, L1163 (1985).

- 239. D. W. Heermann, "A new algorithm for Monte Carlo studies of the 3-d Ising model" (in preparation).
- 241. H. J. Herrmann and H. E. Stanley, "On the growth of percolation clusters: The effect of time correlations" Z. Phys. B 60, 165-170 (1985).
- 242. D. C. Hong, S. Havlin and H. E. Stanley, "Family of growth fractals with continuously tunable chemical dimension" J. Phys. A 18, L 1103 (1985).
- 243. D. C. Hong, H. E. Stanley, A. Coniglio and A. Bunde, "Random-walk approach to the two-component random-resistor mixture: Perturbing away from the perfect random resistor network and random superconducting-network limits" Phys. Rev. B 33, xxx (1986).
- 244. N. Jan, A. Coniglio, I. Majid and H. E. Stanley, "The theta point" in On Growth and Form: Fractal and Nonfractal Patterns in Physics Proc. 1985

 Cargese NATO ASI Institute (Eds. H. E. Stanley and N. Ostrowsky),
 Martinus Nijhoff Pub, Dordrecht, 1985, page 263.
- 245. N. Jan, A. Coniglio, I. Majid and H. E. Starley, "The coil-globule transition in 2-dimensions" in <u>Fractals in Physics: Proc. 1985 Trieste Conf. on Theoretical Physics</u> (ed. L. Pietronero), North Holland, Amsterdam, 1985.
- *246 N. Jan, D. C. Hong and H. E. Stanley, "The fractal dimension and other percolation exponents in four and five dimensions" J. Phys. A 18, L935-L939 (1985).
- 247. K. Kang and S. Redner. "Fluctuation-dominated kinetics in diffusion-controlled reactions" 32, 435 (1985).
- 248. P. Keller, B. Carvalho, J. P. Cotton, M. Lambert, F. Moussa and G. Pepy, "Side chain mesomorphic polymers: Studies of labelled backbones by neutron scattering," J. Physique Lett. 46, L1065-L1071 (1985).
- 249. M. A. Khan, H. Gould and J. Chalupa, "Monte Carlo renormalization group study of bootstrap percolation" J. Phys. C 18, L223-L228 (1985).
- *250 W. Klein and A. D. J. Haymet, "Linear integral equations and renormalization group" Phys. Rev. B 31, xxx (1985).
- 251. W. Klein and G. Stell, "Intregral hierarchies and percolation" (submitted).
- 252. S. Krishnamurthy and R. Bansil, "Nucleation, growth and gelation in gelatin solution" J. Chem. Phys. (submitted).
- 253. M. Latina, L. T. Chylack Jr., P. Fagerholn, I. Nishio, T. Tanaka and B. M. Palmquist, "Dynamic light scattering in the intact rabbit lens: Its relation to protein concentration" (submitted).
- 254. F. Leyvraz "Rate equation approach to aggregation phenomena" In On Growth and Form: Fractal and Nonfractal Patterns in Physics Proc. 1985 Cargese NATO ASI Institute (Eds. H. E. Stanley and N. Ostrowsky) Martinus Nijhoff Pub, Dordrecht, 1985, page 136.
- 255. F. Leyvraz "The 'active perimeter' in cluster growth models: a

- rigorous bound" J. Phys. A 18, L941-L945 (1985).
- 257. I. Majid and H. E. Stanley, "Fractal dimension of branched polymers" J. Phys. A (submitted).
- 258. A. Margolina, F. Family and V. Privman, "Corrections to cluster-radius scaling for branched polymers and percolation" Z. Phys. B (in press).
- 259. P. Meakin, F. Leyvraz and H. E. Stanley, "A new class of screened growth aggregates with a continuously tunable fractal dimension" Phys. Rev. A 32, 1195 (1985).
- 260. P. Meakin, H. E. Stanley, A. Coniglio and T. A. Witten, "Surfaces, interfaces and acreening of fractal structures" Phys. Rev. A 32 2364 (1985).
- 261. I. Nishio, S. T. Sun and T. Tanaka, "Simple scaling argument of the acrylamide gel" (in preparation).
- 262. I. Nishio, S. T. Sun and T. Tanaka, "Microscopic laser-light scattering spectroscopy of single intact biological cell" (in preparation).
- 263. I. Nishio, T. Tanaka, J. I. Clark, G. B. Benedek, J. N. Weiss, F. J. Giblin and V. N. Reddy, "In vivo observation of lens protein diffusivity in normal and x-irradiated rabbit lenses" Experimental Eye Res. (in press).
- 264. J. Nittmann, G. Daccord and H. E. Stanley, "Fractal growth of viscous fingers: A quantitative characterization of a fluid instability phenomenon" Nature 314, 141-144 (1985).
- 265. J. Nittmann, G. Daccord and H. E. Stanley, "Viscous Fingering: A Mini-Review" in <u>Fractals in Physics: Proc. 1985 Trieste Conf. on</u> <u>Theoretical Physics</u> (ed. L. Pietronero). North Holland, Amsterdam, 1985.
- 265a J. Nittmann and H. E. Stanley, "Connection between tip-splitting phenomena and dendrilic growth", Nature (accepted for publication).
- 265b V. Privman and S. Redner, "Tests of hyperuniversality for self-avoiding walks," J. Phys. A 18, L781 (1985).
- 266. V. Protopopescu, W. Klein and T. Keyes, "Time-dependent transport as critical phenomenon" (submitted).
- 267. S. Redner, "Dynamical processes in random media" PROCEEDINGS OF THE LES HOUCHES CONFERENCE ON DISORDERED SYSTEMS (Springer-Verlag).
- 267a S. Redner, "Enumeration study of self-avoiding random-surfaces," J. Phys. A 18, L723-L726 (1985).
- 268. E. Roman, A. Bunde, and W. Dieterich, "Transport in composite ionic conductors" PROC. ROSP CONFERENCE ON MATERIALS SCIENCE, September 1985.
- 269. P. Ruiz-Azuara, T. Tanaka, A. Coniglio, H. E. Stanley, and W. Klein, "Dependence of the gelation curve on solvent composition: crossing points" J. Chem. Phys.

- 270. H. E. Stanley, "Fractal aspects of polymer statics and dynamics" PROC. PRAGUE SYMPOSIUM ON MACROMOLECULES.
- *271 H.E. Stanley "Fractal concepts for disordered systems: The interplay of physics and geometry" In Scaling phenomena in disordered systems [Proc. 1985 Geilo NATO ASI] (eds. R. Pynn and A. Skjeltorp).Plenum, N.Y., 1985
- *272 H. E. Stanley, The Termite Problem: Solution to a classic conductivity mystery" in <u>Fractals in Physics: Proc. 1985 Trieste Conf. on Theoretical Physics (ed. L. Pietronero)</u>. North Holland, Amsterdam, 1985.
- *273 H. E. Stanley, "Form: An introduction to self-similarity and fractal behavior" In On Growth & Form: Fractal & Nonfractal Patterns in Physics Proc. 1985 Cargese NATO ASI Institute (Eds. H.E.Stanley & N.Ostrowsky) Martinus Nijhoff Pub, Dordrecht, 1985, page 21
- *274 H. E. Stanley, A. Bunde, A. Coniglio, D. C. Hong, P. Meakin and T. A. Witten, "Fractal properties of disordered surfaces and the termite problem" In Scaling phenomena in disordered systems [Proc. 1985 Geilo NATO ASI] (eds. R. Pynn and A. Skjeltorp).Plenum, N.Y., 1985
- *275 H. E. Stanley, G. Daccord, H. J. Herrmann and J. Nittmann "Applications of scaling and disorderly growth phenomena to oil recovery" In Scaling phenomena in disordered systems [Proc. 1985 Geilo NATO ASI] (eds. R. Pynn and A. Skjeltorp), Plenum, N.Y., 1985
- 276. H. E. Stanley, A. Geiger and J. Teixeira, "The physics of liquid water" Phys. Repts. (in preparation).
- *277 H. E. Stanley, S. Redner and I. Majid, "Anisotropic self-avoiding walks: Enumeration study and some exact results" (in preparation).
- 278. H. E. Stanley, F. Family and H. Gould, "Kinetics of aggregation and gelation" PROC. WORKSHOP ON POLYMER DYNAMICS (P. Pincus and S. Edwards, eds), J. Poly. Sci. 73, 19-37 (1985).
- *279 H. E. Stanley and N. Ostrowsky, Eds. On Growth and Form: Fractal and Nonfractal Patterns in Physics (Proc. 1985 Cargese NATO ASI). Martinus Nijhoff Publishers, Dordrecht, 1985.
- 280. H. E. Stanley and J. Teixeira, "Water" Scientific American (in preparation).
- 281. C. Unger, "Dynamic renormalization group study of the ferromagnetic Ising model on the triangular lattice" Phys. Rev. B 31, xxx (1985).
- 282a C. Unger and W. Klein, "The initial growth of nucleation droplets" Phys. Rev. B 31, 6127-6130 (1985).
- 282b G. H. Weiss, S. Havlin and A. Bunde, "On the survival probability of a random walk in a finite lattice with a single trap" J. Stat. Phys. (in press).

PAPERS PUBLISHED OR SUBMITTED IN 1986

*283 C. Amitrano, A. Coniglio and F. di Liberto, "Growth probability

- distribution in kinetic aggregation processes" (preprint).
- 283b D. Ben-Avraham and S. Redner, "Kinetics of N-species annihilation: Mean-field and diffusion-controlled limits (Phys. Rev. A, submitted).
- 283c L. Blum, J. R. Grigera and H. E. Stanley, Biophysics of water (Chapman Hall, London, 1986).
- 283d A. Bunde, H. Harder and S. Havlin, "Nonuniversality of diffusion exponents in percolation systems," Phys. Rev. (submitted).
- *284 A. Bunde, S. Havlin, H. E. Stanley, B. Trus, and G. H. Weiss, "Diffusion in random media with a 'topological' bias" (Phys. Rev. Lett., submitted).
- *285 A. Bunde, L. L. Moseley, H. E. Stanley, D. Ben-Avraham, and S. Havlin, "Anomalously slow trapping of non-identical interacting particles by random sinks and the physics of controlled drug release" (Fhys. Rev. Lett., submitted).
- 286. A. Bunde, S. Miyazima, and H. E. Stanley, "A growth model with a finitlifetime of growth sites: From the Eden model to the kinetic growth walk" Phys.Rev.B, submitted
- 287. L. de Arcangelis, S. Redner and A. Coniglio, "Anomalous voltage distribution of random resistor networks" (Phys. Rev. A, submitted).
- *288 L. de Arcangelis, J. Koplik, S. Redner and D. Wilkinson, "Hydrodynamic dispersion in network models of porous media" (Phys. Rev. Lett., submitted).
- 289. H. Harder, A. Bunde and W. Dieterich, "Percolation model for mixed alkali effects in solid ionic conductors" (submitted).
- 290. S. Havlin, A. Bunde and J. Riefer, "Transport in one dimensional random resistor-superconductor mixtures with random distribution of resistor strength," J. Phys. A Lett. 19, L xxx (1986).
- *291 S. Havlin, A. Bunde and H. E. Stanley, "'Anomalous ballistic diffusion': A physical realization of the Levy flight random walk" Phys. Rev. B 34, xxx (1986).
- 292. S. Havlin, A. Bunde, Y. Glaser, and H. E. Stanley, "Diffusion with a topological bias on random structures with a power law distribution of dangling ends" (preprint).
- 293. S. Havlin, A. Bunde, H. E. Stanley, and D. Movshovitz, "Diffusion on percolation clusters with a bias in chemical space: Non-universal behavior" J. Phys. A 18, Lxxx (1986).
- 294. N. Jan, A. Coniglio, H. J. Herrmann, D. P. Landau, F. Leyvraz, and H. E. Stanley, "On the relation of kinetic gelation and percolation" J. Phys. A Lett. 19, xxx (1986).
- 295. K. Kang, S. Redner, P. Meakin and F. Leyvraz, "Long-time crossover phenomena in coagulation kinetics" Phys. Rev. A 33, 1171 (1986).

the fact at a factor of the fa

*296 W. Klein and H. L. Frisch, "Instability in the infinite dimensional hard

- sphere fluid," J. Chem. Phys. 84, 968-970 (1986).
- 297. F. Leyvraz, "Chemically-limited cluster-cluster aggregation and lattice animals" J. Phys. A Lett. 19, xxx (1986).
- 298. F. Leyvraz and Naeem Jan, "Critical dynamics for one-dimensional models" J. Phys. A 18, xxx (1985).
- 299. F. Leyvraz, J. Adler, A. Aharony, A. Bunde, A. Coniglio, D. C. Hong, H. E. Stanley, D. Stauffer, "Results on the one dimensional random normal superconductor mixture" J. Phys. A 19, xxx (1986).
- *300 F. Leyvraz and S. Redner, "Non-universality and breakdown of scaling in a two-component coagulation model" (Phys. Rev. Lett., submitted).
- *301 F. Leyvraz and S. Redner, "Non-universality and breakdown of scaling in two-species aggregation (Phys. Rev. A, submitted).
- *302 J. E. Martin and F. Leyvraz, "Quasielastic Scattering Linewidths and relaxation times for surface and mass fractals" (preprint).
- 303. P. Meakin, A. Coniglio, H. E. Stanley, and T. A. Witten, "Scaling properties for the surfaces of fractal and non-fractal objects: An infinite hierarchy of critical exponents" Phys. Rev. A
- 304. I. Nishio, J. C. Reina and R. Bansil, "Quasi-elastic light scattering study of the movement of particles in gels" Phys. Rev. Lett. (in preparation).
- 305. S. Redner, D. Wilkinson and J. Koplik, "Dispersion in self similar structures: The convective limit" (J. Phys. A Lett., submitted).
- 306. J. Tobochnik and Harvey Gould, "Early-time instabilities in a dynamic percolation model," Phys. Rev. B 33, 377-384 (1986).
- 307. Z. R. Yang, "A finite-cluster renormalization group approach to the [B(alphaB,B(betaB] model" J. Phys. A

* * * * *

SUMMARY

YEAR	PAPERS	PHYS REV LETT / NATURE / PNAS CITATIONS
1976	. 1	0
1977	5	0
1978	4	1
1979.	10	1
1980	21	0
1981	31	3
1982	44	6
1983	48	9
1984	49	9